ELSEVIER

Chemistry and Physics of Lipids
84 (1996) 175

CPL
CHEMISTRY AND PHYSICS OF LIPIDS

Author index

Volume 84 (1996)

Abuin, E. **84**, 35
Axelsson, A. **84**, 1

Banovetz, C. **84**, 87
Barauskas, J. **84**, 123
Beswick, P.H. **84**, 93

Campos, A.M. **84**, 35
Carballeira, N.M. **84**, 81
Cruz, C. **84**, 81

de Madariaga, M.A. **84**, 147
Disalvo, E.A. **84**, 35
Domingo, J.C. **84**, 147

Egmond, M.R. **84**, 195
Engblom, J. **84**, 155
Evans, R.W. **84**, 57

Flipsen, J.A.C. **84**, 195

Gabdoulline, R.R. **84**, 139
Goodman, D.M. **84**, 57

Hendrickson, E.K. **84**, 87
Hendrickson, H.S. **84**, 87
Higinbotham, J. **84**, 93

Itakura, K. **84**, 75

Jira, W. **84**, 165

Kirsch, M.J. **84**, 87
Koufaki, M. **84**, 21

Larsson, K. **84**, 123
Lebeau, L. **84**, 13
Lin, S.Y. **84**, 21
Lissi, E.A. **84**, 35

Makriyannis, A. **84**, 21
Malcolmson, R.J. **84**, 93
Markowitz, M.A. **84**, 65
Marsan, M.-P. **84**, 117
Mattisson, C. **84**, 1
Mavromoustakos, T. **84**, 21
Miezis, Y. **84**, 123
Milon, A. **84**, 117
Mioskowski, C. **84**, 13
Moncecchi, D. **84**, 47
Muller, I. **84**, 117
Murphy, E.J. **84**, 47

Nemoto, E.M. **84**, 57
Nuss, S. **84**, 13
Nylander, T. **84**, 1, 123

Osawa, T. **84**, 75

Oudet, P. **84**, 13

Parkinson, J.A. **84**, 93
Prows, D.R. **84**, 47

Razumas, V. **84**, 123
Reed, D. **84**, 93

Sadler, I.H. **84**, 93
Schramm, A. **84**, 165
Schroeder, F. **84**, 47
Singh, A. **84**, 65
Spiteller, G. **84**, 165

Talaikytė, Z. **84**, 123
Theodoropoulou, E. **84**, 21

Uchida, K. **84**, 75

van der Hijden, H.T.W.M. **84**, 195
Vanderkooi, G. **84**, 139
Verheij, H.M. **84**, 195

Winter, P.M. **84**, 57

Yang, D.P. **84**, 21

Zacchi, G. **84**, 1
Zheng, C. **84**, 139

ELSEVIER

Chemistry and Physics of Lipids
84 (1996) 177–179

CPL
CHEMISTRY AND PHYSICS OF LIPIDS

Subject index

Volume 84 (1996)

Aging; Hydroxy fatty acids; LDL; Atherosclerosis **84**, 165

Anesthesia; Halothane; Isoflurane; Phospholipid monolayer; Surface pressure; Phospholipase C **84**, 57

Atherosclerosis; Hydroxy fatty acids; LDL; Aging **84**, 165

Azone; Biological effects; Lipid bilayer; Partition; Bicontinuous cubic; Glycerol monooleate **84**, 155

Bacillus cereus; Phosphatidylinositol; Phospholipase C; Thiophosphate; Vesicle; 1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol) **84**, 87

Bicontinuous cubic; Biological effects; Lipid bilayer; Partition; Azone; Glycerol monooleate **84**, 155

Bicontinuous cubic phase; Monoolein; Distearoylphosphatidylglycerol; Lysozyme; X-ray diffraction; Raman scattering **84**, 123

Biological effects; Lipid bilayer; Partition; Bicontinuous cubic; Azone; Glycerol monooleate **84**, 155

Cholesterol; ^{13}C-NMR; Molecular dynamics; DMPC; Membranes; Cholesteryl oleate **84**, 93

Cholesteryl oleate; ^{13}C-NMR; Molecular dynamics; Cholesterol; DMPC; Membranes **84**, 93

^{13}C-NMR; Molecular dynamics; Cholesterol; DMPC; Membranes; Cholesteryl oleate **84**, 93

Concentration profile; Monoolein; Glucose; Diffusion measurements; Cubic phase; Holographic laser interferometry **84**, 1

Cross-link; Fluorescence; Malondialdehyde; Lysine; Protein; Lipofuscin **84**, 75

Cubic phase; Monoolein; Glucose; Diffusion measurements; Holographic laser interferometry; Concentration profile **84**, 1

Cutinase; Oil-drop; Oil-water interfacial tension; Hydrolysis products; Triolein; Oleic acid; Oleate **84**, 195

Deuterated lipid; Phospholipid; Fluidity; ^{2}H-NMR; Monolayer **84**, 13

Deuterium NMR; Plant sterols; Soybean phosphatidyl choline **84**, 117

Diacetylene; Tubule; Gel; Ribbons; Phospholipid; Microstructure **84**, 65

Diffusion measurements; Monoolein; Glucose; Cubic phase; Holographic laser interferometry; Concentration profile **84**, 1

Dimethyl disulfide; Methylene-interrupted; Ethyl 9,12-octadecadienoate; Mass spectrometry **84**, 81

1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol); *Bacillus cereus*; Phosphatidylinositol; Phospholipase C; Thiophosphate; Vesicle **84**, 87

Dipole potential; Lipid bilayers; Electrostatic potential; Water **84**, 139

Distearoylphosphatidylglycerol; Monoolein; Lysozyme; Bicontinuous cubic phase; X-ray diffraction; Raman scattering **84**, 123

DMPC; ^{13}C-NMR; Molecular dynamics; Cholesterol; Membranes; Cholesteryl oleate **84**, 93

Electrostatic potential; Lipid bilayers; Dipole potential; Water **84**, 139

Ether lipids; 1-Thiohexadecyl-2-*O*-methyl-*S*-glycero-3-phosphocholine (ET-S-16-OCH_3); High resolution NMR spectroscopy; Molecular graphics; Micelles **84**, 21

Ethyl 9,12-octadecadienoate; Dimethyl disulfide; Methylene-interrupted; Mass spectrometry **84**, 81

Fatty acid esterification; L-cells; Intestinal fatty acid-binding protein; Fatty acid uptake; Transfection **84**, 47

Fatty acid uptake; L-cells; Intestinal fatty acid-binding protein; Fatty acid esterification; Transfection **84**, 47

Fluidity; Phospholipid; Deuterated lipid; ^{2}H-NMR; Monolayer **84**, 13

Fluorescence; Malondialdehyde; Lysine; Protein; Cross-link; Lipofuscin **84**, 75

Fourier transform infrared spectroscopy; *N*-acylphosphatidylethanolamines; N-acyl chain length; Gel-to-liquid crystal phase transition **84**, 147

Gel-to-liquid crystal phase transition; *N*-acylphosphatidylethanolamines; N-acyl chain length; Fourier transform infrared spectroscopy **84**, 147

Gel; Tubule; Ribbons; Diacetylene; Phospholipid; Microstructure **84**, 65

Glucose; Monoolein; Diffusion measurements; Cubic phase; Holographic laser interferometry; Concentration profile **84**, 1

Glycerol monooleate; Biological effects; Lipid bilayer; Partition; Bicontinuous cubic; Azone **84**, 155

Halothane; Anesthesia; Isoflurane; Phospholipid monolayer; Surface pressure; Phospholipase C **84**, 57

High resolution NMR spectroscopy; Ether lipids; 1-Thiohexadecyl-2-*O*-methyl-*S*-glycero-3-phosphocholine (ET-S-16-OC-H_3); Molecular graphics; Micelles **84**, 21

^{2}H-NMR; Phospholipid; Deuterated lipid; Fluidity; Monolayer **84**, 13

Holographic laser interferometry; Monoolein; Glucose; Diffusion measurements; Cubic phase; Concentration profile **84**, 1

Hydrolysis products; Cutinase; Oil-drop; Oil-water interfacial tension; Triolein; Oleic acid; Oleate **84**, 195

Hydroxy fatty acids; LDL; Aging; Atherosclerosis **84**, 165

Intestinal fatty acid-binding protein; L-cells; Fatty acid uptake; Fatty acid esterification; Transfection **84**, 47

Isoflurane; Anesthesia; Halothane; Phospholipid monolayer; Surface pressure; Phospholipase C **84**, 57

L-cells; Intestinal fatty acid-binding protein; Fatty acid uptake; Fatty acid esterification; Transfection **84**, 47

LDL; Hydroxy fatty acids; Aging; Atherosclerosis **84**, 165

Lipid bilayer; Biological effects; Partition; Bicontinuous cubic; Azone; Glycerol monooleate **84**, 155

Lipid bilayers; Dipole potential; Electrostatic potential; Water **84**, 139

Lipofuscin; Fluorescence; Malondialdehyde; Lysine; Protein; Cross-link **84**, 75

Lysine; Fluorescence; Malondialdehyde; Protein; Cross-link; Lipofuscin **84**, 75

Lysozyme; Monoolein; Distearoylphosphatidylglycerol; Bicontinuous cubic phase; X-ray diffraction; Raman scattering **84**, 123

Malondialdehyde; Fluorescence; Lysine; Protein; Cross-link; Lipofuscin **84**, 75

Mass spectrometry; Dimethyl disulfide; Methylene-interrupted; Ethyl 9,12-octadecadienoate **84**, 81

Membranes; ^{13}C-NMR; Molecular dynamics; Cholesterol; DMPC; Cholesteryl oleate **84**, 93

Methylene-interrupted; Dimethyl disulfide; Ethyl 9,12-octadecadienoate; Mass spectrometry **84**, 81

Micelles; Ether lipids; 1-Thiohexadecyl-2-*O*-methyl-*S*-glycero-3-phosphocholine (ET-S-16-OCH_3); High resolution NMR spectroscopy; Molecular graphics **84**, 21

Microstructure; Tubule; Gel; Ribbons; Diacetylene; Phospholipid **84**, 65

Molecular dynamics; ^{13}C-NMR; Cholesterol; DMPC; Membranes; Cholesteryl oleate **84**, 93

Molecular graphics; Ether lipids; 1-Thiohexadecyl-2-*O*-methyl-*S*-glycero-3-phosphocholine (ET-S-16-OCH_3); High resolution NMR spectroscopy; Micelles **84**, 21

Monolayer; Phospholipid; Deuterated lipid; Fluidity; ^{2}H-NMR **84**, 13

Monoolein; Distearoylphosphatidylglycerol; Lysozyme; Bicontinuous cubic phase; X-ray diffraction; Raman scattering **84**, 123

Monoolein; Glucose; Diffusion measurements; Cubic phase; Holographic laser interferometry; Concentration profile **84**, 1

N-acyl chain length; *N*-acylphosphatidylethanolamines; Fourier transform infrared spectroscopy; Gel-to-liquid crystal phase transition **84**, 147

***N*-acylphosphatidylethanolamines**; N-acyl chain length; Fourier transform infrared spectroscopy; Gel-to-liquid crystal phase transition **84**, 147

Oil-drop; Cutinase; Oil-water interfacial tension; Hydrolysis products; Triolein; Oleic acid; Oleate **84**, 195

Oil-water interfacial tension; Cutinase; Oil-drop; Hydrolysis products; Triolein; Oleic acid; Oleate **84**, 195

Oleate; Cutinase; Oil-drop; Oil-water interfacial tension; Hydrolysis products; Triolein; Oleic acid **84**, 195

Oleic acid; Cutinase; Oil-drop; Oil-water interfacial tension; Hydrolysis products; Triolein; Oleate **84**, 195

Osmotic shrinkage; Unilamellar vesicles; Surface changes **84**, 35

Partition; Biological effects; Lipid bilayer; Bicontinuous cubic; Azone; Glycerol monooleate **84**, 155

Phosphatidylinositol; *Bacillus cereus*; Phospholipase C; Thiophosphate; Vesicle; 1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol) **84**, 87

Phospholipase C; Anesthesia; Halothane; Isoflurane; Phospholipid monolayer; Surface pressure **84**, 57

Phospholipase C; *Bacillus cereus*; Phosphatidylinositol; Thiophosphate; Vesicle; 1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol) **84**, 87

Phospholipid; Deuterated lipid; Fluidity; ^{2}H-NMR; Monolayer **84**, 13

Phospholipid monolayer; Anesthesia; Halothane; Isoflurane; Surface pressure; Phospholipase C **84**, 57

Phospholipid; Tubule; Gel; Ribbons; Diacetylene; Microstructure **84**, 65

Plant sterols; Deuterium NMR; Soybean phosphatidyl choline **84**, 117

Protein; Fluorescence; Malondialdehyde; Lysine; Cross-link; Lipofuscin **84**, 75

Raman scattering; Monoolein; Distearoylphosphatidylglycerol; Lysozyme; Bicontinuous cubic phase; X-ray diffraction **84**, 123

Ribbons; Tubule; Gel; Diacetylene; Phospholipid; Microstructure **84**, 65

Soybean phosphatidyl choline; Plant sterols; Deuterium NMR **84**, 117

Surface changes; Osmotic shrinkage; Unilamellar vesicles **84**, 35

Surface pressure; Anesthesia; Halothane; Isoflurane; Phospholipid monolayer; Phospholipase C **84**, 57

1-Thiohexadecyl-2-*O*-methyl-*S*-glycero-3-phosphocholine (ET-S-16-OCH$_3$); Ether lipids; High resolution NMR spectroscopy; Molecular graphics; Micelles **84**, 21

Thiophosphate; *Bacillus cereus*; Phosphatidylinositol; Phospholipase C; Vesicle; 1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol) **84**, 87

Transfection; L-cells; Intestinal fatty acid-binding protein; Fatty acid uptake; Fatty acid esterification **84**, 47

Triolein; Cutinase; Oil-drop; Oil-water interfacial tension; Hydrolysis products; Oleic acid; Oleate **84**, 195

Tubule; Gel; Ribbons; Diacetylene; Phospholipid; Microstructure **84**, 65

Unilamellar vesicles; Osmotic shrinkage; Surface changes **84**, 35

Vesicle; *Bacillus cereus*; Phosphatidylinositol; Phospholipase C; Thiophosphate; 1,2-Dimyristoyloxypropane-3-thiophospho(1D-1-*myo*-inositol) **84**, 87

Water; Lipid bilayers; Dipole potential; Electrostatic potential **84**, 139

X-ray diffraction; Monoolein; Distearoylphosphatidylglycerol; Lysozyme; Bicontinuous cubic phase; Raman scattering **84**, 123